

SECTION FOUR

Spare parts for: Ventcutters

Ventcutter compatible with Meyn Ventblade



Rodon Int. nr:	Description:	Partnr.OEM:	Pos.nr:
VC.10.001	Ventblade D=25mm (RH)	0338.0000.006.00 – 338.00.006	121/158
VC.10.002	Ventblade D=25mm (LH)	0338.0001.006.00 – 338.01.006	121/158
VC.10.003	Ventblade D=29mm (LH)	0338.0001.332.00 – 338.01.006	121
VC.10.004	Ventblade D=22mm (LH+RH)	0117.0000.....00 – 117.	104
VC.10.032	Ventblade D=22mm (LH)	0338.0001.284.00 – 338.01.284	121
VC.10.033	Ventblade D=22mm (RH)	0338.0000.289.00 – 338.00.289	121
VC.10.042	Ventblade D=17 L=60 L.H.		
VC.10.043	Ventblade D=36 L=75 L.H.		
VC.10.044	Ventblade D=32 L=70 R.H.	0338.0000.316.00	
VC.10.101	Ventblade D=45mm (LH+RH)		




Ventcutter compatible with Meyn Worm shaft, Slide block, Auger, Auger shaft



Rodon Int. nr:	Description:	Partnr.OEM:	Pos.nr:
VC.10.008	Worm shaft type II	0338.D100.004.00-338.00.004	122
VC.10.009	Clamping bushing for blade 25 mm	0338.D100.000.00	
VC.10.010	Slide block, synthetic	0990.BL00.011.00-338.00.001	112
VC.10.014	Auger shaft	0338.D100.003.00-338.00.003	75
VC.10.026	Worm shaft type I	0338.D100.006.00-338.00.004	78
VC.10.027	Gear wheel type I	0338.D100.011.99-338.00.011	66
VC.10.028	Stop block type I	0338.D100.002.00	74
VC.10.030	Vent auger for knife D=16,9mm LH+RH	0338.D100.000.00	
VC.10.034	Guide bearing block	0338.D100.022.00 – 338.00.159	103
VC.10.048	Vent auger	0595.0000.036.00	119
VC.10.054	Gear wheel	0990.PK25.001.27	5
VC.10.066	Upper slide block	0990.PK25.003.27	2



VC.10.008 / VC.10.026



VC.10.009



VC.10.010



VC.10.014



VC.10.028



VC.10.030




VC.10.034



VC.10.027



VC.10.048



VC.10.054





VC.10.066

Ventcutter compatible with Meyn Complete lower unit



Rodon Int. nr:	Description:	Partnr.OEM:	Pos.nr:
VC.10.502	Lower unit, complete	0595.0000.000.08	
VC.10.505	Lifting unit 1100-350 gr.	0595.0046.B00.08	
VC.10.068	Lowerblock lowerunit S.S.	0595.0000.001.08	1
VC.10.067	Upperblock lowerunit S.S.	0595.0031.000.13	2
LB.KU.006	Bearing bushing L=50 synth.	0990.A202.074.00	3
NC.10.013	Spacer	0990.A200.001.00 - 990.0564	4
LB.KU.007	Bearing bushing L=50 synth.	0990.A202.072.00	5
LB.KU.008	Bearing bushing L=40 synth.	0990.A202.080.00	6
VE.DR.038	Compr.spring dr=2,2	89.3011.019.0123	7
1002.0000.SS13	Ball bearing SS	89.0691.017.0006 - 99.22848	8
1001.7991.1030	Countersunk headscrew S.S.	89.1126.015.004 - 99.11563	9
1001.0933.0612	Tap bolt S.S.	89.0803.015.0010	10
1001.0125.0006	Flat washer SS	89.0907.015.048	11



Ventcutter compatible with Meyn Complete lower unit




Rodon Int. nr:	Description:	Partnr.OEM:	Pos.nr:
VC.10.059	Tailunit including roller	0595.0031.000.01	21
VC.10.060	Shaft for tailunit	0595.0031.000.02	
VC.10.061	Roller for tailunit	0990.AB10.668.00	
VC.10.063	Centring bracket RH	0595.0032.000.12	22
VC.10.063L	Centring bracket LH		
VC.10.066	Upper slide block	0990.PK25.003.27 0990.PK25.001.45	2
VC.10.067	Upperblock lowerunit S.S.	0595.0031.000.13	2
VC.10.068	Lowerblock lowerunit S.S.	0595.0000.001.08	1



Ventcutter compatible with Meyn Curves



Rodon Int. nr:	Description:	Partnr.OEM:	Pos.nr:
VC.10.055	Gearwheel Curve 16 units LH	0990.NK13.000.20	61
VC.10.073	Middle Curve 7,11,14 units 6"R.H.	0990.NK12.000.31	45
VC.10.073A	Middle Curve 7,11,14 units 6"L.H.	0990.NK12.000.32	45
VC.10.074	Lower Curve 7,11,14 units 6"R.H.	0595.0008.000.06	1
VC.10.074A	Lower Curve 7,11,14 units 6"L.H.	0595.0009.000.06	1



VC.10.055



VC.10.073



VC.10.074



Ventcutter compatible with Meyn

Complete cutting unit



Rodon Int. nr:	Description:	Partnr.OEM:	Pos.nr:
VC.10.501	Cutting unit, complete	0990.PK25.000.27 - 0990.PK25.000.31	
SA.10.011	Intermediate shaft D=20 L=434 2xM10	0990.A005.016.00 - 0338.D100.043.00	1
VC.10.504	Upper slide block complete	0990.PK25.000.45	
VC.10.066	Upper slide block	0990.PK25.003.27	2
VC.10.065	Bushing S.S.	0990.PK25.004.27	3
1001.0934.0012	Nut S.S.	89.0901.015.004	4
VC.10.054	Gear wheel	0990.PK25.001.27	5
1001.5406.SS02	Locking ring SS	08.0383.005 - 89.0913.015.0006	6
VC.10.029	Washer	0990.A703.016.00	7
VC.10.010	Slideblock	0990.BL00.011.00	8
VC.10.011	Auger shaft type 338-II	0338.D100.003.00	9
VC.10.064	Worm shaft L=390mm	0990.PK25.002.27	10
VC.10.015	Bearing sleeve type I	0338.D100.000.00 - 0338.D100.005.00	11
VC.10.045	Scraperring	89.5227.904.0004	12
VC.10.051	Ventbushing ring	0990.PK25.006.00 - 990.4446	13
VC.10.039	Insert	0595.0000.030.00	14
VC.10.001	Vent blade D=25mm RH	0338.0000.006.00 - 338.00.006	15
VC.10.048	Ventauger for blade 25mm	0595.0000.036.00	16
VC.10.028	Stop block type I	0338.D100.002.00 - 338.00.002	17
1001.7991.1030	Countersunk headscrew S.S.	89.1126.015.0004 - 99.11563	18
1002.0000.SS13	Ball bearing SS	89.0691.017.0006 - 99.22848 - 09.0100.016	19
NC.10.013	Spacer	0990.A200.001.00 - 990.0564	20
1001.7991.1045	Countersunk headscrew S.S.	89.1126.015.0012	21
MA.10.011	Roller	0990.LR00.000.02	


Ventcutter compatible with Meyn Complete cutting unit



Meyn Ventcutter Back support unit




Rodon Int. nr:	Description:	Partnr.OEM:	Pos.nr:
VC.10.503	Back support unit	0595.0031.000.05	
VC.10.069	Back support assy S.S.	05950031.000.06	1
VC.10.070	Springholder assy S.S.	0595.0031.000.07	4
1002.0000.SS13	Ball bearing SS	89.0691.017.0006	13
1001.7991.1030	Countersunk headscrew S.S.	89.1126.015.0004	14
1001.0912.0510	Bolt SS M5x10	89.1103.015.0002	17
VE.DR.014	Compr.spring dr=1,1	89.3011.019.0142	15
1001.0916.1225	Adjusting screw S.S.	89.1147.015.0001	16



Vent-/Opener Machine compatible with Stork Ventblades



Rodon Int. nr:	Description:	Partnr.OEM:	Pos.nr:
VC.20.001	Ventblade D=25mm (4 slots RH)		
VC.20.002	Ventblade D=25mm (4 slots LH)		
VC.20.003	Ventblade D=25mm (5 slots RH)	3R 559 660 R	2100
VC.20.004	Ventblade D=25mm (5 slots LH)	3R 559 661 L	2100
VC.20.008	Ventblade D=31 R.H.	4R.500.363	
VC.20.009	Ventblade D=31 L.H.	4R.508.387	
VC.20.010	Ventblade Nutech system LH	2M 631 255	13
VC.20.010A	Ventblade D=25mm L.H. 5 slots N.T.		
VC.20.010B	Ventblade D=25mm L.H. 6 slots N.T.	3908286	
VC.20.011	Ventblade Nutech system RH	2M 631 323	13
VC.20.011A	Ventblade D=25mm R.H. 5 slots N.T.	390.6056	
VC.20.011B	Ventblade D=25mm R.H. 6 slots N.T.	394.6279	
VC.20.012	Ventblade turkey D=48 L=105		
VC.20.014	Ventblade 45mm (L=90xD=48mm) Turkey		
VC.20.015	Ventblade 48mm (L=120xD=51mm) Turkey	4M.605.925	
VC.20.063	Ventblade D=23mm R.H. 5 slots		
VC.20.064	Ventblade D=23mm L.H. 5 slots		
VC.20.065	Ventblade D=25mm R.H. 6 slots	39.72	
VC.20.066	Ventblade D=25mm L.H. 6 slots	39.72853	
VC.20.067	Ventblade D=23mm L.H. 5 slots (23x20x14)		
VC.20.068	Ventblade D=23mm R.H. 5 slots (23x20x14)		



VC.20.003

VC.20.004

VC.20.010

VC.20.064


VC.20.011

VC.20.015

Vent-/Opener Machine compatible with Stork Curve plates



Rodon Int. nr:	Description:	Partnr.OEM:	Pos.nr:
VC.20.016	Curve plate	2R.579.307	3/603
VC.20.017	Curve plate	2R.579.308	2/602
VC.20.042	Curve plate	2M.653.445	2/602
VC.20.043	Curve plate	2M.653.446	3/603
VC.20.044	Curve plate	2M.684.960	2/602
VC.20.045	Curve plate	2M.684.961	3/603
VC.20.046	Curve plate	2M.646.618	2/602
VC.20.047	Curve plate	2M.646.619	3/603




Vent-/opener machine compatible with Stork


Various parts



Rodon Int. nr:	Description:	Partnr.OEM:	Pos.nr:
VC.20.013	Adjusting ring S.S.	4R.448.818	313
VC.20.018	Separator strip Nutech	4M.602.839 /840	
VC.20.020	Curve roller	4R.523.462	7
VC.20.021	Pin D=10	4R.448.182	601
VC.20.022	Pin D=8	4R.448.208	620
VC.20.023	Ring synth.	4R.434.710	17/617
VC.20.028	Synth. bush	4M.616.683	5
VC.20.029	Bearing block	662.042	103
VC.20.030	Pin 16x84	4R.448.206	18
VC.20.031	Pin 16x69	4R.448.207	19
VC.20.032	Collar bearing bushing synth.	4M.631.113	37/917
VC.20.033	Bush S.S.	4M.667.734	9
VC.20.034	Bush S.S.	4M.667.733	12
VC.20.036	Ring S.S.	4R.448.185	4
VC.20.037	Shaft S.S.	4R.530.415	8
VC.20.038	Special roller	4R.501.630	14/315
VC.20.039	Rod	616.590	317
VC.20.040	Ring	4R.534.821	15/316
VC.20.041	Block	3M.631.291	5
VC.20.056	Block	4R.512.157	312
VC.20.058	Gear wheel Z=19	4R.448.814	309
VC.20.059	Shaft D=14x30 S.S.	660.267	21
VC.20.060	Shaft D=14x25 S.S.	660.268	22
VC.20.069	Pin, hammer	586.007 559.588	
VC.20.504	Bearing block bottom	652.717	7



VC.20.029



VC.20.504

Vent-/opener machine compatible with Stork
Various parts



Ventcutter compatible with Systemate Ventblades



Rodon Int. nr:	Description:	Partnr.OEM:	Pos.nr:
VC.30.001	Ventblade 26x30x15	195.933 - 77.50.000.800	
VC.30.002	Ventblade 29x33x15	195.934	
VC.30.003	Ventblade 34x38x20	195.935	
VC.30.004	Ventblade 40x45x24	195.981	
VC.30.005	Ventblade 21x24x40	195.931	
VC.30.006	Ventblade 23x26x40	13195932	
VC.30.007	Locking ring	CB003293	
VC.30.008	Ventblade 26x30x15 incl. socket (L)	195.944	
VC.30.009	Ventblade 34x38x20 incl. socket (L)	195.948	
VC.30.010	Ventblade 34x38x20 incl. socket (R)	195.949	
VC.30.011	Knifeholder (L)	195.924	
VC.30.012	Knifeholder (R)	195.925	
VC.30.013	Ventblade 44x50x24	195.938	
VC.30.014	Ventblade 24x28,5x55 CW (L)	77.50.009.900	
VC.30.015	Ventblade 24x28,5x55 CCW (R)	77.50.010.000	
VC.30.016	Gear segment	72.10.049.400	



Ventcutter compatible with Systemate\Linco Ventblades



Rodon Int. nr:	Description:	Partnr.OEM:	Pos.nr:
VC.35.001	Ventknife 16x19x66.5 R.H.		
VC.35.002	Ventknife 16x19x66.5 L.H.		
VC.35.003	Ventknife 35x38x66.5 R.H		
VC.35.004	Ventknife 35x38x66.5 L.H		
VC.40.003	Ventblade D=25mm, bayonette catch	19285661	
VC.40.006	Ventblade D=45mm incl. holder with L.H. thread	1959502	



VC.35.XXX



VC.40.XXX